



STANDARD BAGS



+1 POST-MANUFACTURING STERILIZATION

- increased sample integrity
- perforated closure to maintain sterility

TRUSTED, PUNCTURE-PROOF CLOSURE TABS

- tape extends beyond wire to eliminate sharp ends and provide a sturdy grip
- wire tabs hold the top open for easy access to add to or remove sample
- worry-free, no-leak closure for sample integrity

BLENDED, VIRGIN POLYETHYLENE FILM

- exceptional clarity
- superior strength
- sterilized after manufacturing
- FDA approved for contact

OPENING PULL TABS

- for easy opening
- non-slip textured Tyvek®

CONVENIENT WRITE-ON STRIP

- makes labeling quick and easy
- clear sample identification
- for organization & traceability

CONTINUOUS PERIMETER SEAL

- maximum protection against leaks

premium quality with aseptic sampling assurance

Embraced across various industries, this bag sets the gold standard for secure and reliable sample handling. With its innovative built-in closure tabs, it guarantees the utmost protection during shipping and storage of diverse sample materials.

Experience the epitome of trust with Whirl-Pak® Standard Sterilized Sampling Bags, crafted to provide a contaminant-free, flexible container for your valuable samples. Rest assured, your analysis results will remain dependable and accurate, thanks to the unrivaled quality of our products.

Whirl-Pak® sterilized sampling bags are R-Nase, D-Nase, Pyrogen and BPH free and comply with regulatory and industrial requirements:




WHIRL-PAK STANDARD STERILIZED SAMPLING BAGS

MFG. NO.	WIRE STYLE	VOLUME		SIZE		FILM THICKNESS	BAGS/BOX	TEMP RANGE
		FL OZ.	ML	IN.	CM	MILS	BAG COUNT	MIN/MAX °F
WHIRL-PAK STANDARD BAGS: Plain, sterilized closure bags								
B01009	Round	2 Fl oz.	59 mL	3" W x 5" L	7.5 x 12.5 cm	2.25 mils	500	-346 °/+180 °
B00679	Round	4 Fl oz.	118 mL	3" W x 7¼" L	7.5 x 18.5 cm	2.25 mils	500	-346 °/+180 °
B00992	Round	7 Fl oz.	207 mL	3¾" W x 7" L	9.5 x 18 cm	3 mils	500	-346 °/+180 °
B01018	Round	13 Fl oz.	384 mL	5¼" W x 7½" L	13 x 19 cm	3 mils	500	-346 °/+180 °
B00736	Round	18 Fl oz.	532 mL	4½" W x 9" L	11.5 x 23 cm	2.5 mils	500	-346 °/+180 °
B01020	Round	24 Fl oz.	710 mL	6" W x 9" L	15 x 23 cm	3 mils	500	-346 °/+180 °
B01063	Round	24 Fl oz.	710 mL	6" W x 9" L	15 x 23 cm	4 mils	500	-346 °/+180 °
B00990	Round	27 Fl oz.	798 mL	5" W x 12" L	12.5 x 30.5 cm	3 mils	500	-346 °/+180 °
B00994	Round	36 Fl oz.	1,065 mL	5" W x 15" L	12.5 x 38 cm	3 mils	500	-346 °/+180 °
B01027	Round	42 Fl oz.	1,242 mL	6" W x 15" L	15 x 38 cm	3 mils	500	-346 °/+180 °
B01532	Round	55 Fl oz.	1,627 mL	7½" W x 12" L	19 x 30 cm	3 mils	500	-346 °/+180 °
B01323	Round	69 Fl oz.	2,041 mL	7½" W x 15" L	19 x 38 cm	3 mils	500	-346 °/+180 °


SOLIDS OR LIQUIDS - LEAK-PROOF CLOSURE

STEP 1




Label your sample if using a write-on bag.

STEP 2




To open, tear off the top along the perforation.

STEP 3



Use the Tyvek® pull tabs to open without contamination.

STEP 4




Place sample in bag. Perfect for liquids or solids.

STEP 5A




Hold bag by the tabs and whirl 3 to 4 times to create a seal.

STEP 5B



Or, fold the tab over tightly 3 to 4 times to close.

STEP 6A



Secure closure, bend wire ends for solids.

STEP 6B



Or, bring the two wire ends together to twist, tie and tuck!



whirl-pak.com



+1.920.568.5616



contact@whirl-pak.com



WHIRL-PAK®
Filtration Group